



Electrolux

Modular Cooking Range Line Automatic Electric Pasta Cooker, 1 Well, 5.3 Gallons (20 Lt)

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



Modular Cooking Range Line

Automatic Electric Pasta Cooker, 1 Well, 5.3
Gallons (20 Lt)

371174 (E7PCED1KF1)

Auto Pasta Cooker, Ele,
5.3gal, 208V

Short Form Specification

Item No. _____

Automatic Pasta Cooker, electric, 5.3 gallon (20 Lt) single tank, (2) independent programmable basket lifts, digital programmable temperature control, automatic water fill & starch removal system, 316 stainless steel tank, stainless steel front, door & cabinet, 5" legs



APPROVAL: _____

Main Features

- In addition to cooking pasta, the appliance can be used for noodles of every kind, rice, dumplings and vegetables.
- Unit to have infrared heating system positioned beneath the base of the well.
- Water basin in 316 type Stainless steel.
- Water basin is seamlessly welded into the top of the appliance.
- 5.3gal (20lt) water basin.
- Electric pre-heating system built-in to the unit for high thermal efficiency and rapid temperature recovery.
- Electrically-heated 3.5kW water boiler guarantees high thermal efficiency, rapid temperature recovery and a superior production rate.
- Unit to feature skimming zone for starch removal: improved water quality over time.
- Easy-to-use control panel with switch to regulate rapid filling and refilling with pre-heated water.
- EnergyControl: unique feature for fine power adjustment to control boiling level and optimize energy consumption.
- Safety thermostat to avoid operation without water.
- Large drain with manual ball-valve for fast emptying of well.
- Automatic lifting system: two stainless steel basket supports, holding one GN 1/2 basket each, to provide automatic lifting of baskets upon cycle termination. Possibility to program 5 different cooking times per basket in addition to the selection of 4 different boiling cycles, from gentle (home-made fresh pasta) to full power (regular pasta).
- All major compartments located in front of unit for ease of maintenance.
- IPX4 water resistance certification.
- Unit delivered with four 2" (50mm) legs in stainless steel as standard (all round Stainless steel kick plates as option).

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 0.06" (1.5mm) work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.



Electrolux

Modular Cooking Range Line
Automatic Electric Pasta Cooker, 1 Well, 5.3 Gallons (20 Lt)

Electrolux Professional, Inc.

www.electroluxusa.com/professional

10200 David Taylor Drive, Charlotte, NC 28262 • Telephone Number: 866-449-4200 • Fax Number: 704-547-7401

Included Accessories

- 1 of Pair of single portion baskets for automatic programmable 5.3 gallon (20 Lt) pasta cooker (can be used with built-in lifting system). To be used with support PNC 206312 PNC 206362

Optional Accessories


- Kit 4 wheels - 2 swivelling with brake - it is mandatory to install base support and wheels PNC 206135 ☐
- Flanged feet kit PNC 206136 ☐
- 4 feet for concrete installation PNC 206210 ☐
- Chimney upstand, 16" (400mm) PNC 206303 ☐
- Right and left side handrails PNC 206307 ☐
- Pair of single portion baskets for automatic programmable 5.3 gallon (20 Lt) pasta cooker (can be used with built-in lifting system). To be used with support PNC 206312 PNC 206362 ☐
- Pair of double portion baskets for automatic programmable 5.3 gallon (20 Lt) pasta cooker (can be used with built-in lifting system). To be used with support PNC 206314 PNC 206362 ☐
- Base support assembly 16" (400 mm) wide for installation on wheels. To be used with PNC 206135 PNC 206366 ☐
- Base Support Assembly, 32" (800mm) wide, for feet/wheels PNC 206367 ☐
- Base Support Assembly, 48" (1200mm) wide, for feet/wheels PNC 206368 ☐
- Base Support Assembly, 64" (1600mm) wide, for feet/wheels PNC 206369 ☐
- Base Support Assembly, 80" (2000mm) wide, for feet/wheels PNC 206370 ☐
- Rear paneling - 600mm PNC 206373 ☐
- Rear paneling - 800mm PNC 206374 ☐
- Rear paneling - 1000mm PNC 206375 ☐
- Rear paneling - 1200mm PNC 206376 ☐
- 2 side covering panels for free standing appliances PNC 216000 ☐
- FRONTAL HANDRAIL 400 MM PNC 216046 ☐
- FRONTAL HANDRAIL 800 MM PNC 216047 ☐
- FRONTAL HANDRAIL 1200 MM PNC 216049 ☐
- FRONTAL HANDRAIL 1600 MM PNC 216050 ☐
- Large handrail - portioning shelf, W=15 3/4" PNC 216185 ☐
- Large handrail - portioning shelf, W=31 1/2" PNC 216186 ☐
- Support for baskets for 5.3 (20 Lt) and 6.5 (25 Lt) gallon pasta cooker PNC 921606 ☐
- Pair of baskets (7.5" x 8.5") for 5.3 (20 Lt) and 6.5 (25 Lt) gallon pasta cooker PNC 921610 ☐
- Single basket (13 3/4" x 8 11/16") for 5.3 (20 Lt) and 6.5 (25 Lt) gallon pasta cooker PNC 921611 ☐




Electrolux

Modular Cooking Range Line Automatic Electric Pasta Cooker, 1 Well, 5.3 Gallons (20 Lt)

Front




Top



D = Drain
EI = Electrical connection
EQ = Equipotential screw
WI = Water inlet

Side



Electric

Supply voltage:

371174 (E7PCED1KF1) 208 V/3 ph/60 Hz

Rated amps:

23 A

Electrical power, max:

8.6 kW

Total Watts:

8.6 kW

Water:

Drain "D":

1"

Incoming Cold/hot Water

line size:

3/4"

Total hardness:

5-50 ppm

Electrolux recommends the use of treated water, based on testing of specific water conditions.

Please refer to user manual for detailed water quality information.

Key Information:

Usable well dimensions

(width):

9 13/16" (250 mm)

Usable well dimensions

(depth):

15 3/4" (400 mm)

Usable well dimensions

(height):

11 13/16" (300 mm)

External dimensions, Width:

15 3/4" (400 mm)

External dimensions, Depth:

28 3/4" (730 mm)

External dimensions, Height:

33 7/16" (850 mm)

Net weight:

121 lbs (55 kg)

Shipping width:

18 1/8" (460 mm)

Shipping depth:

32 1/4" (820 mm)

Shipping height:

44 7/8" (1140 mm)

Shipping weight:

154 lbs (70 kg)

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Modular Cooking Range Line
Automatic Electric Pasta Cooker, 1 Well, 5.3 Gallons (20 Lt)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2017.06.22